



ACCESSORIES






Aranykulcs minden
ajtóba beleillik.

A golden key fits
every door.


Hungarian Proverb



Vertical cable managers designed for DYNAframe range, integrated with Finger Style cable management PVC modules. Can be used on Single and Double Framed DYNAframe modules. Can be a common cable management trunking system once used between the two DYNAframe systems. W=135mm D=210mm sized in parallel with the U height of DYNAframe Systems, front cover plate is specially formed Extruded Aluminium material. Supply is in RAL 9005 Black and RAL 7035 Light Grey colors.

VERTICAL CABLE MANAGEMENT FOR OPEN FRAMES W=135mm D=210mm	Logistics Data							COMPATIBLE WITH																							
								COMPATIBLE WITH							DYNAMIC Series Free Standing Cabinets W (Width) x D (Depth) mm										DYNAmix Series Wall Mounting Cabinets W (Width) x D (Depth) mm						
															19" NEThox Series SOHO Cabinets W (Width) x D (Depth) mm					10" NEThox Series SOHO Cabinets W (Width) x D (Depth) mm					19" NEThox Home Series Cabinets W (Width) x D (Depth) mm					NEThox Slim Series Cabinets W (Width) x D (Depth) mm	
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame			
LN-KDG-OFR-5315-CC Top Cable Through Header Unit	580x140x120	630x175x140	1,7	2,1	9	545x425x610	20,8																	●	●	●	●	●			
LN-KDG-OFR-27U135-CC W=135mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 27U, 1 pcs	1345x135x210	1450x175x250	6	6,5	1	1450x175x250	6,5																	●	●	●	●	●			
LN-KDG-OFR-36U135-CC W=135mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 36U, 1 pcs	1745x135x210	1850x175x250	7,1	7,7	1	1850x175x250	7,7																	●	●	●	●	●			
LN-KDG-OFR-42U135-CC W=135mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 42U, 1 pcs	2011x135x210	2100x175x250	9,5	10,2	1	2100x175x250	10,2																	●	●	●	●	●			
LN-KDG-OFR-45U135-CC W=135mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 45U, 1 pcs	2145x135x210	2250x175x250	10,1	10,9	1	2250x175x250	10,9																	●	●	●	●	●			
LN-KDG-OFR-48U135-CC W=135mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 48U, 1 pcs	2278x135x210	2380x175x250	10,5	11,5	1	2380x175x250	11,5																	●	●	●	●	●			

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering



Vertical cable managers designed for DYNAframe range, integrated with Finger Style cable management PVC modules. Can be used on Single and Double Framed DYNAframe modules. Can be a common cable management trunking system once used between the two DYNAframe systems. W=235mm D=210mm sized in parallel with the U height of DYNAframe Systems, front cover plate is specially formed Extruded Aluminium material. Supply is in RAL 9005 Black and RAL 7035 Light Grey colors.

VERTICAL CABLE MANAGEMENT FOR OPEN FRAMES W=235mm D=210mm	Logistics Data						COMPATIBLE WITH																						
							COMPATIBLE WITH			DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm			DYNAmax Series Free Standing Server Cabinets W (Width) x D (Depth) mm			NETbox Series Wall Mounting Cabinets W (Width) x D (Depth) mm			19" NETox Series SOHO Cabinets W (Width) x D (Depth) mm			10" NETox Series SOHO Cabinets W (Width) x D (Depth) mm			19" NETox Home Series Cabinets W (Width) x D (Depth) mm			NETox Slim Series Cabinets W (Width) x D (Depth) mm	
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-KDG-OFR-5315-CC Top Cable Through Header Unit	580x140x120	630x175x140	1,7	2,1	9	545x425x610	20,8																		●	●	●	●	●
LN-KDG-OFR-27U235-CC W=235mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 27U, 1 pcs	1345x235x210	1450x275x250	7,6	8,1	1	1450x275x250	8,1																		●	●	●	●	●
LN-KDG-OFR-36U235-CC W=235mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 36U, 1 pcs	1745x235x210	1850x275x250	9,8	10,4	1	1850x275x250	10,4																		●	●	●	●	●
LN-KDG-OFR-42U235-CC W=235mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 42U, 1 pcs	2011x235x210	2100x275x250	11,1	11,8	1	2100x275x250	11,8																		●	●	●	●	●
LN-KDG-OFR-45U235-CC W=235mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 45U, 1 pcs	2145x235x210	2250x275x250	12,5	13,3	1	2250x275x250	13,3																		●	●	●	●	●
LN-KDG-OFR-48U235-CC W=235mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 48U, 1 pcs	2278x235x210	2380x275x250	13,5	14,4	1	2380x275x250	14,4																		●	●	●	●	●

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering



Vertical Cable managers, for use of carrying the cables into the final connection point. Cable Manager sizes are W=97mm D=97mm. 5mm diameter steel wires specially formed and connected as a cable manager module. maximum openings for cable management are available due to wire mesh structure. Protection of cables is %100 level due to full radius structure on the wire mesh systems. Wire Mesh cable managers are zinc plated 8-12 micron. Front cover plate is specially formed Extruded Aluminium material. Front cover

plate is in RAL 9005 Black color for RAL 9005 Black Cabinets, in RAL 7016 Anthracite Grey color for RAL 7035 Light Grey Cabinets. Special clips hinge system allows opening right to left or left to right. 36U and higher product sizes, the front cover plate is splitted in to 2 parts where the quick access allowed to the required area

Velcro Stripes

For management of cables and to create cable reserve, or definition and separation of cables, 42cm long, 5pcs per pack set, 5 color option, Lande printed Velcro tapes.

VERTICAL CABLE MANAGEMENT PANELS FREE STANDING TYPE	Logistics Data						COMPATIBLE WITH																						
							DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm				DYNAmic Series Free Standing Server Cabinets W (Width) x D (Depth) mm		NETbox Series Wall Mounting Cabinets W (Width) x D (Depth) mm		19" NETox Series SOHO Cabinets W (Width) x D (Depth) mm		10" NETox Series SOHO Cabinets W (Width) x D (Depth) mm		19" NETox Home Series Cabinets W (Width) x D (Depth) mm		NETbox Slim Series Cabinets W (Width) x D (Depth) mm		DYNAmic Frame Systems W 530 x D (Depth) mm						
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-KDG-ORG-22UD-CC 22U Wire Mesh Cable Management panel set left/right	97x97x996	220x120x1050	3,05	3,2	1	220x120x1050	3,2				●	●																	
LN-KDG-ORG-26UD-CC 26U Wire Mesh Cable Management panel set left/right	97x97x1175	220x120x1250	3,6	3,9	1	220x120x1250	3,9				●	●																	
LN-KDG-ORG-32UD-CC 32U Wire Mesh Cable Management panel set left/right	97x97x1440	220x120x1525	4,4	4,8	1	220x120x1525	4,8				●	●																	
LN-KDG-ORG-36UD-CC 36U Wire Mesh Cable Management panel set left/right	97x97x1620	220x120x1770	4,9	5,3	1	220x120x1770	5,3				●	●																	
LN-KDG-ORG-39UD-CC 39U Wire Mesh Cable Management panel set left/right	97x97x1752	220x120x1825	5,3	5,7	1	220x120x1825	5,7				●	●	●																
LN-KDG-ORG-42UD-CC 42U Wire Mesh Cable Management panel set left/right	97x97x1885	220x120x1960	5,7	6,1	1	220x120x1960	6,1				●	●	●																
LN-KDG-ORG-45UD-CC 45U Wire Mesh Cable Management panel set left/right	97x97x2020	220x120x2110	6,3	6,8	1	220x120x2110	6,8				●	●	●																
LN-KDG-ORG-VLCR-01 Cable Management Velcro Tape, 5pcs per set- 42cm long- Yellow	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LN-KDG-ORG-VLCR-02 Cable Management Velcro Tape, 5pcs per set- 42cm long- Red	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LN-KDG-ORG-VLCR-03 Cable Management Velcro Tape, 5pcs per set- 42cm long- White	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LN-KDG-ORG-VLCR-04 Cable Management Velcro Tape, 5pcs per set- 42cm long- Green	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LN-KDG-ORG-VLCR-05 Cable Management Velcro Tape, 5pcs per set- 42cm long- Black	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering. This mark defines the color of cabinets, accordingly for Light Grey cabinet RAL 7016 Anthracite Grey Panel on vertical cable manager, and for Black Cabinet RAL 9005 Black Panel on vertical cable manager will be delivered.



Vertical Cable managers, for use of carrying the cables into the final connection point. Cable Manager sizes are W=97mm D=97mm. 5mm diameter steel wires specially formed and connected as a cable manager module. maximum openings for cable management are available due to wire mesh structure. Protection of cables is %100 level due to full radius structure on the wire mesh systems. Wire Mesh cable managers are zinc plated 8-12 micron. Front cover plate is specially formed Extruded Aluminium material. Front cover

plate is in RAL 9005 Black color for RAL 9005 Black Cabinets, in RAL 7016 Anthracite Grey color for RAL 7035 Light Grey Cabinets. Special clips hinge system allows opening right to left or left to right. The front cover plate is splitted in to 2 parts where the quick access allowed to the required area.

Velcro Stripes

For management of cables and to create cable reserve, or definition and separation of cables, 42cm long, 5pcs per pack set, 5 color option, Landé printed Velcro tapes.

VERTICAL CABLE MANAGEMENT PANELS SERVER TYPE	Logistics Data						COMPATIBLE WITH																								
							DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm				DYNAmic Series Free Standing Server Cabinets W (Width) x D (Depth) mm				NEThox Series Wall Mounting Cabinets W (Width) x D (Depth) mm				19" NEThox Series SOHO Cabinets W (Width) x D (Depth) mm				10" NEThox Series SOHO Cabinets W (Width) x D (Depth) mm				19" NEThox Home Series Cabinets W (Width) x D (Depth) mm				NEThox Slim Series Cabinets W (Width) x D (Depth) mm
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame		
LN-KDG-ORG-42US-CC 42U Wire Mesh Cable Management panel set left/right server model	97x97x1885	220x120x1960	5,7	6,1	1	220x120x1960	6,1								●																
LN-KDG-ORG-45US-CC 45U Wire Mesh Cable Management panel set left/right server model	97x97x2020	220x120x2110	6,3	6,8	1	220x120x2110	6,8								●																
LN-KDG-ORG-VLCR-01 Cable Management Velcro Tape, 5pcs per set- 42cm long- Yellow	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
LN-KDG-ORG-VLCR-02 Cable Management Velcro Tape, 5pcs per set- 42cm long- Red	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
LN-KDG-ORG-VLCR-03 Cable Management Velcro Tape, 5pcs per set- 42cm long- White	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
LN-KDG-ORG-VLCR-04 Cable Management Velcro Tape, 5pcs per set- 42cm long- Green	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
LN-KDG-ORG-VLCR-05 Cable Management Velcro Tape, 5pcs per set- 42cm long- Black	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering. This mark defines the color of cabinets, accordingly for Light Grey cabinet RAL 7016 Anthracite Grey Panel on vertical cable manager, and for Black Cabinet RAL 9005 Black Panel on vertical cable manager will be delivered.