

# L Support - Chassis Runner Kit

## Accessory

### FEATURES

L Support kit is used to support heavy components which mount to mounting rails. Easy to fix between mounting rails on 1U height. Adaptable to any dimensions between front and rear mounting rail.

Two different depth alternatives:

- 600 mm - 800 mm
- 800 mm - 1000 mm

Product is combination of internal and external profiling system.


### COMPLIANCES

Raw material: DC01 - 6112


Surface Treatment: Electro-galvanise coating (8-12 micron electro-galvanise coating)

### STANDARDS

- ISO 9001
- TSE:EN 61587-1 Mechanical Structures For Electronic Equipment - Tests for IEC 60917 and IEC 60297
- Climatic and Environment:EN 61587- 1/4.2,IEC60068-2-1, IEC60068-2-2, IEC60068-2-30
- Flammability: EN61587-1/6.3



Loading capacity is 120 kgs.




### Material Definition and Properties, Thicknesses and Shipment Configuration

Part Definition	Material Thickness	Material Definition & Properties	Shipment Configuration
Internal Profile	2 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 CRS	2 ea.
External Profile	2 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 CRS	2 ea.
M6x10 Screw	-	M6X10 Pan Head Cross Recess Screw-DIN 967	8 ea.
Special Washer	-	Plastic Screw Washer	8 ea.


# L Support - Chassis Runner Kit

LN-RAF-RAY-D6080-ZN


Accessory




BOTTOM VIEW



FRONT VIEW




TOP VIEW




ISOMETRIC VIEW




MIN.USEABLE DISTANCE




MAX.USEABLE DISTANCE




ISOMETRIC VIEW




MAX.USEABLE DISTANCE  
ISOMETRIC



MIN.USEABLE DISTANCE  
ISOMETRIC



MAX.USEABLE DISTANCE




MIN.USEABLE DISTANCE

L Support Chassis Runner Kit				Logistics Data		
Product Number	Product Description	Dimensions WxDxH	Qty	Shipping Dimension Carton Packaging WxHxD (mm)	Net Weight (kg)	Gross Weight (kg)
LN-RAF-RAY-D6080-ZN	L Support Chassis Runner Kit D= 600 mm - 800 mm (1 set = 2 ea.)	52x600-800x44	1	370x65x65	2,65	3,2

# L Support - Chassis Runner Kit

LN-RAF-RAY-D8010-ZN


Accessory




BOTTOM VIEW



FRONT VIEW




TOP VIEW




ISOMETRIC VIEW




MIN.USEABLE DISTANCE




MAX.USEABLE DISTANCE




ISOMETRIC VIEW




MAX.USEABLE DISTANCE  
ISOMETRIC



MIN.USEABLE DISTANCE  
ISOMETRIC



MAX.USEABLE DISTANCE



MIN.USEABLE DISTANCE

L Support Chassis Runner Kit			Logistics Data			
Product Number	Product Description	Dimensions WxDxH	Qty	Shipping Dimension Carton Packaging WxHxD (mm)	Net Weight (kg)	Gross Weight (kg)
LN-RAF-RAY-D8010-ZN	L Support Chassis Runner Kit D= 800 mm - 1000 mm (1 set = 2 ea.)	52x800-1000x44	1	520x65x65	3,2	3,7